


To ensure your tap water is safe, clean and secure, Tucson Water conducts approximately 14,500 individual tests each year on the water in the main distribution system — before it reaches your home. Test results for key parameters are reported by 10 water quality zones for a water distribution system that covers some 375 square miles.

## **Main Water System**





To ensure your tap water is safe, clean and secure, Tucson Water conducts approximately 14,500 individual tests each year on the water in the main distribution system — before it reaches your home. Test results for key parameters are reported by 10 water quality zones for a water distribution system that covers some 375 square miles.

#### **Main Water System**

## **TEST RESULTS BY WATER QUALITY ZONE**

Zones	Hardness (mg/L*) 77 SP	<b>Sodium</b> (mg/L*) 77 SP	Nitrate-N (mg/L*) 77 SP	Fluoride (mg/L*) 77 SP	<b>pH Level</b> (S.U.) 247 SP	<b>Temperature</b> (deg°F) 247 SP
1	264	56	3.41	0.29	7.7	76.8
2	212	59	1.14	0.45	8.0	78.9
3	206	58	1.49	0.56	8.0	77.9
4	193	57	0.88	0.40	7.9	80.2
5	201	57	1.21	0.43	7.8	79.1
6	229	62	0.87	0.44	7.9	78.6
7	196	53	1.25	0.41	7.9	78.4
8	198	48	1.70	0.62	7.7	78.0
9	228	63	1.78	0.53	7.8	79.3
10	173	55	1.97	0.43	7.9	77.7
Avg	208	57	1.38	0.46	7.9	78.6

\***mg/L** means milligrams per liter 1 mg/L = 1 teaspoon in 1,302 gallons SP = Sample Points

#### **COLIFORM**

The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.

EPA standards for positive samples
Positive results
247 samples





Tucson Water also monitors water quality at 10 separate and distinct community systems served solely by local groundwater wells — not from the main water distribution system. Hundreds of individual tests are conducted each year on these community wells to ensure well water is clean, safe and secure.


## **Catalina Water System**

Catalina is a community partially served by Tucson Water. It has about 400 connections, supplying water to about 1,000 persons with water from two wells.



#### **Corona de Tucson Water System**

Corona de Tucson is a community located near Sahuarita and Houghton Roads, with about 2,600 services supplying about 7,300 persons with water from three wells.



## **TEST RESULTS from 2 Sample Points**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	pH Level (S.U.)	Temperature (deg°F)	
107	29	3.55	0.54	8.1	73.1	
* <b>mg/L</b> mean	s milligrams p	er liter 1 mg/l	L = 1 teaspoor	n in 1,302 gallo	ons	
COLIFOR	M					
The U.S. Envir		EPA stand		1		
Protection Ag		<b>positive s</b> a as	ampies	_		
primary stand			Positive results 0			
of coliform ba		ie				
disinfectant c	hlorine.					
CIII ADIN						
CHLORIN	E				A Standard	
				Ма	ıx. 4.0 mg/L	
				T	cson Water	
A -4	I Arramama				rget average	
-	Average	>			to 1.2 mg/L	
0.8 mg						

## **TEST RESULTS from 8 Sample Points**

Hardness (mg/L*) 2 SP	<b>Sodium</b> (mg/L*) 2 SP	Nitrate-N (mg/L*) 2 SP	<b>Fluoride</b> (deg°F) 2 SP	<b>pH Level</b> (S.U.) 8 SP	<b>Temperature</b> (deg°F) 8 SP	
211	47	1.42	0.48	7.6	77.5	
* <b>mg/L</b> means n	nilligrams per lit	ter <b>1 mg/L</b> = 1	teaspoon in 1,30	)2 gallons <b>SP</b>	= Sample Points	
COLIFOR	M					
The U.S. Envir	• • • • • • • • • • • • • • • • • • • •	EPA stand positive s		1		
Protection Ag		as .				
primary stand of coliform ba			Positive results 0			
disinfectant o		C				
CHLORIN	E			FP	A Standard	
					ıx. 4.0 mg/L	
				T	een Water	
					cson Water get average	
	l Average	>			to 1.2 mg/L	
0.7 mg	]/L					



Tucson Water also monitors water quality at 10 separate and distinct community systems served solely by local groundwater wells — not from the main water distribution system. Hundreds of individual tests are conducted each year on these community wells to ensure well water is clean, safe and secure.

## **Diamond Bell Water System**


Diamond Bell is a community located south and east of Sasabe Road and Diamond Bell Ranch Road respectively,



with
about 200
connections
supplying
about 570
persons with
water from
two wells.

# Rancho del Sol Lindo & White Fence Farms Water System

Rancho del
Sol Lindo is a
community located
southwest of
Silverbell Road and
North Trico Road.
Rancho del Sol
Lindo has about
1,000 connections,
supplying about
2,700 persons with
water from two
wells.



## **TEST RESULTS from 1 Sample Point**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	<b>Fluoride</b> (deg°F)	<b>pH Level</b> (S.U.)	Temperature (deg°F)			
118	30	1.58	0.33	7.8	72.7			
* <b>mg/L</b> mean	s milligrams p	er liter 1 mg/l	<b>L</b> = 1 teaspoon	in 1,302 gallo	ons			
The U.S. Envir Protection Ag primary stand of coliform ba	COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.  EPA standard for positive samples  Positive result  0							
CHLORIN	E				A Standard ax. 4.0 mg/L			
Actual 0.9 mg,		-		tai	cson Water get average to 1.2 mg/L			

#### **TEST RESULTS from 3 Sample Points**


	Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	<b>Fluoride</b> (deg°F)	pH Level (S.U.)	Temperature (deg°F)
	157	42	3.72	0.56	7.8	76.0
	* <b>mg/L</b> mean	s milligrams p	erliter <b>1 mg</b> /l	<b>L</b> = 1 teaspoor	n in 1,302 gallo	ons
ľ	COLIFOR		EPA stand		1	
	Protection Ag primary stand of coliform ba disinfectant co	ency (EPA) ha lards for leve cteria and th	ls Positive re		0	人
Ī	CHLORIN	E				A Standard ix. 4.0 mg/L
	Actua 1.0 mg	l Average /L	<b>&gt;</b>		tai	cson Water get average to 1.2 mg/L



Tucson Water also monitors water quality at 10 separate and distinct community systems served solely by local groundwater wells — not from the main water distribution system. Hundreds of individual tests are conducted each year on these community wells to ensure well water is clean, safe and secure.


#### **Sierrita Foothills Water System**

This is a small community by the Three Points area, with 30 connections supplying approximately 75 people from one well.



#### **Silverbell West Water System**

The Silverbell West system has 83 connections serving approximately 230 people from one well.



## **TEST RESULTS from 1 Sample Point**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	<b>pH Level</b> (S.U.)	Temperature (deg°F)	
90	36	1.72	0.51	7.8	74.1	
* <b>mg/L</b> mean	s milligrams p	er liter 1 mg/l	<b>L</b> = 1 teaspoon	in 1,302 gallo	ons	
COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.						
CHLORIN	E				A Standard ax. 4.0 mg/L	
Actual 0.9 mg,	•	-		tai	cson Water rget average to 1.2 mg/L	

#### **TEST RESULTS from 1 Sample Point**


Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	pH Level (S.U.)	Temperature (deg°F)		
330	87	20.9	0.54	7.5	77.2		
* <b>mg/L</b> mean	s milligrams p	er liter <b>1 mg</b> /l	<b>L</b> = 1 teaspoon	in 1,302 gallo	ons		
COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.							
CHLORIN	E				A Standard ax. 4.0 mg/L		
Actua 0.9 mg	•	<b>-</b>		tai	cson Water rget average to 1.2 mg/L		



Tucson Water also monitors water quality at 10 separate and distinct community systems served solely by local groundwater wells — not from the main water distribution system. Hundreds of individual tests are conducted each year on these community wells to ensure well water is clean, safe and secure.


#### **Sunset Ranch Water System**

The Sunset Ranch system is a unique water system serving approximately 30 homes. This is the only Tucson Water system where water is not supplied by a Tucson Water well; the Town of Marana supplies water to the Sunset Ranch system.



#### **Thunderhead Ranch Water System**

Thunderhead Ranch is a small subdivision west of Old Spanish Trail and about one and a half miles south of Irvington Road. It has about 57 connections supplying about 160 persons with water from two wells.



#### **TEST RESULTS from 1 Sample Point**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	<b>pH Level</b> (S.U.)	Temperature (deg°F)		
272	111	4.13	0.71	7.3	76.8		
* <b>mg/L</b> mean	s milligrams p	er liter 1 mg/l	<b>L</b> = 1 teaspoon	in 1,302 gallo	ons		
COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.  EPA standard for positive samples  Positive result							
CHLORIN	E				A Standard ax. 4.0 mg/L		
Actual		>		tai	rson Water rget average to 1.2 mg/L		

#### **TEST RESULTS from 1 Sample Point**


Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	<b>pH Level</b> (S.U.)	Temperature (deg°F)		
92	13	1.91	0.22	8.1	75.6		
* <b>mg/L</b> mean	s milligrams p	erliter <b>1 mg</b> /	<b>L</b> = 1 teaspoor	n in 1,302 gallo	ons		
COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.  EPA standard for positive samples  Positive result  1							
Actual				Tue tar	A Standard ax. 4.0 mg/L cson Water rget average to 1.2 mg/L		



Tucson Water also monitors water quality at 10 separate and distinct community systems served solely by local groundwater wells — not from the main water distribution system. Hundreds of individual tests are conducted each year on these community wells to ensure well water is clean, safe and secure.

#### **Tucson Police-Fire Academy Water System**

The Police-Fire Academy, located south of Interstate 10 and east of Wilmot Road, was built in the late 1990s. One well supplies about 25 persons regularly, plus class members taught at this facility.




#### **TEST RESULTS from 1 Sample Point**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	pH Level (S.U.)	Temperature (deg°F)
199	42	0.79	0.34	7.7	75.4
* <b>mg/L</b> mean	s milligrams p	er liter 1 mg/l	<b>L</b> = 1 teaspoor	in 1,302 gallo	ons
COLIFOR	M				
The U.S. Envir	•	EPA stand positive sa	w. w v.	1	
Protection Ag primary stand			. Г		
of coliform ba			esult	0	
disinfectant c	hlorine.				
CHLORIN	E				A Standard
				Ма	ıx. 4.0 mg/L
				Tue	cson Water
Actual				tai	get average
0.6 mg/	•	>	- D	0.8	to 1.2 mg/L
0.0 mg/	L				

#### **Valley View Acres Water System**

Valley View Acres is a small community located north of Hilltop Road, just west of Sandario Road, with about 150 connections supplying about 470 people with water from two wells.



#### **TEST RESULTS from 1 Sample Point**

Hardness (mg/L*)	Sodium (mg/L*)	Nitrate-N (mg/L*)	Fluoride (deg°F)	<b>pH Level</b> (S.U.)	Temperature (deg°F)		
120	44	1.76	0.65	7.5	73.9		
* <b>mg/L</b> means	s milligrams p	er liter <b>1 mg</b> /l	<b>L</b> = 1 teaspoor	n in 1,302 gallo	ons		
COLIFORM The U.S. Environmental Protection Agency (EPA) has primary standards for levels of coliform bacteria and the disinfectant chlorine.  EPA standard for positive samples  Positive result  0							
CHLORIN Actual	<b>E</b> − −			<i>Mo</i> Tu₁ <b>←</b> tai	A Standard ax. 4.0 mg/L cson Water rget average to 1.2 mg/L		